




Nord Technology Distributor af Restars hardware in Denmark

NORD TECHNOLOGY CONTACT INFORMATION

World Trade Center Borupvang 3, 2750 Ballerup, Denmark

- C Tel.: +45 70 27 04 15
- Email: sales@nord-t.eu
- Website: www.nordtechnology.dk

RCS-430SWAZ





43" Android Network Digital Signage

Right Message At Right Time



Digital Signage is the remote-controlled distribution and playback of digital content (TV programs, advertising, menus, and every sort of information) on networks of displays. These displays can range from digital billboards to much smaller screens, either at a single location or across multiple sites. It's all about targeting the audience with relevant information. Digital signage enables users to display their messages more dynamically and targeted.

RCSTARS has demonstrated a Digital Signage application on android platform. The application provides the features of updating the content from remote web browser, playback of video content, image, HTML web pages and scrolling text messages.

Key Features:

- Android 11 Operating System
- RK3399, Dual-core Cortex-A72 Up to 1.8 GHz and Quad-core Cortex-A53 Up to 1.4 GHz
- 4GB LP DDR4+16/32/64GB Flash
- 802.11 B/G/N/AC Internal Wi-Fi
- 4G/Wi-Fi/WLAN Network Connection
- Remote Management Software
- 1080P Display Output

Key Features:

- POS
- Hotel
- Self-service Terminal
- Public Information Display
- Hospitality
- In-vehicles and Transportation



43" Android Network Digital Signage

300.4 m	im ————	\vdash			
15					
2 mm	315				
15		RAIS	Pa	Ower Socket TF P	
600 mr	n ————	350 mm			
Specifications					
	Panel Model Max Resolution Aspect Ratio Pixel Pitch Viewing Angle Contrast Ratio Brightness Response Time Display Area (mm)	43 inch TFT LED 1920×1080 16:09 0.4903×0.4903 89/89/89/89 1200:1 3500 cd/m ² 26 ms 941.184×529.416 mm	HDMI DISPLAY	Output Mode	HDMI 480P HDMI 576P HDMI 720P 50 Hz HDMI 720P 60 Hz HDMI 1080I 50 Hz HDMI 1080P 24 Hz HDMI 1080P 50 Hz HDMI 1080P 60 Hz
PANEL	Max Resolution Aspect Ratio Pixel Pitch Viewing Angle Contrast Ratio Brightness Response Time Display Area (mm) Panel Size (mm) Screen Weight Lamp Type	1920×1080 16:09 0.4903×0.4903 89/89/89/89 1200:1 3500 cd/m ² 26 ms 941.184×529.416 mm 973×565.8×29 mm 11 kg WLED	HDMI DISPLAY		HDMI 576P HDMI 720P 50 Hz HDMI 720P 60 Hz HDMI 1080I 50 Hz HDMI 1080I 60 Hz HDMI 1080P 24 Hz HDMI 1080P 50 Hz HDMI 1080P 60 Hz English, French, German, Italian, Polish, Russian, Simplified Chinese, Spanish, Turkish, Arabic, Japanese, Traditional
ANEL	Max Resolution Aspect Ratio Pixel Pitch Viewing Angle Contrast Ratio Brightness Response Time Display Area (mm) Panel Size (mm) Screen Weight Lamp Type	1920×1080 16:09 0.4903×0.4903 89/89/89 1200:1 3500 cd/m ² 26 ms 941.184×529.416 mm 973×565.8×29 mm 11 kg WLED Dual-core Cortex-A72 Up to 1.8 GHz and Quad-core Cortex-A53 Up to 1.4 GHz			HDMI 576P HDMI 720P 50 Hz HDMI 720P 60 Hz HDMI 1080I 50 Hz HDMI 1080I 60 Hz HDMI 1080P 24 Hz HDMI 1080P 50 Hz HDMI 1080P 60 Hz English, French, German, Italian, Polish, Russian, Simplified Chinese, Spanish,
PANEL	Max Resolution Aspect Ratio Pixel Pitch Viewing Angle Contrast Ratio Brightness Response Time Display Area (mm) Panel Size (mm) Screen Weight Lamp Type CPU GPU RAM ROM	1920x1080 16:09 0.4903x0.4903 89/89/89/89 1200:1 3500 cd/m ² 26 ms 941.184x529.416 mm 973x565.8x29 mm 11 kg WLED Dual-core Cortex-A72 Up to 1.8 GHz and Quad-core Cortex-A53 Up to 1.4 GHz ARM Mali-T860 LP DDR4 4GB (MAX, default 4GB) 16G/32G/64GB (default 32G)	ON-SCREEN DISPLAY LA		HDMI 576P HDMI 720P 50 Hz HDMI 720P 60 Hz HDMI 720P 60 Hz HDMI 1080I 50 Hz HDMI 1080P 60 Hz HDMI 1080P 50 Hz HDMI 1080P 60 Hz English, French, German, Italian, Polish, Russian, Simplified Chinese, Spanish, Turkish, Arabic, Japanese, Traditional Chinese etc.
PANEL	Max Resolution Aspect Ratio Pixel Pitch Viewing Angle Contrast Ratio Brightness Response Time Display Area (mm) Panel Size (mm) Screen Weight Lamp Type CPU GPU RAM ROM OS	1920x1080 16:09 0.4903x0.4903 89/89/89/89 1200:1 3500 cd/m ² 26 ms 941.184x529.416 mm 973x565.8x29 mm 11 kg WLED Dual-core Cortex-A72 Up to 1.8 GHz and Quad-core Cortex-A73 Up to 1.4 GHz ARM Mali-T860 LP DDR4 4GB (MAX, default 4GB) 16G/32G/64GB (default 32G) Android 11	ON-SCREEN DISPLAY LA	ANGUAGES Mains Power	HDMI 576P HDMI 720P 50 Hz HDMI 720P 60 Hz HDMI 720P 60 Hz HDMI 1080I 50 Hz HDMI 1080P 24 Hz HDMI 1080P 50 Hz HDMI 1080P 60 Hz English, French, German, Italian, Polish, Russian, Simplified Chinese, Spanish, Turkish, Arabic, Japanese, Traditional Chinese etc. Portrait AC 100-240V, 50-60 Hz
PANEL	Max Resolution Aspect Ratio Pixel Pitch Viewing Angle Contrast Ratio Brightness Response Time Display Area (mm) Panel Size (mm) Screen Weight Lamp Type CPU GPU RAM ROM	1920x1080 16:09 0.4903x0.4903 89/89/89/89 1200:1 3500 cd/m ² 26 ms 941.184x529.416 mm 973x565.8x29 mm 11 kg WLED Dual-core Cortex-A72 Up to 1.8 GHz and Quad-core Cortex-A53 Up to 1.4 GHz ARM Mali-T860 LP DDR4 4GB (MAX, default 4GB) 16G/32G/64GB (default 32G)	ON-SCREEN DISPLAY LA DISPLAY MODE POWER	ANGUAGES Mains Power Consumption	HDMI 576P HDMI 720P 50 Hz HDMI 720P 50 Hz HDMI 720P 60 Hz HDMI 1080I 50 Hz HDMI 1080P 24 Hz HDMI 1080P 50 Hz HDMI 1080P 60 Hz English, French, German, Italian, Polish, Russian, Simplified Chinese, Spanish, Turkish, Arabic, Japanese, Traditional Chinese etc. Portrait AC 100-240V, 50-60 Hz 250 W
Specifications PANEL INTERNAL MEDIA PLAYER CONNECTOR CONNECTIVITY	Max Resolution Aspect Ratio Pixel Pitch Viewing Angle Contrast Ratio Brightness Response Time Display Area (mm) Panel Size (mm) Screen Weight Lamp Type CPU GPU RAM ROM OS USB 2.0 USB 2.0 USB 2.0 USB 3.0 HDMI 2.0 (output) RJA5 TF Card	1920×1080 16:09 0.4903x0.4903 89/89/89/89 1200:1 3500 cd/m ² 26 ms 941.184×529.416 mm 973×565.8×29 mm 11 kg WLED Dual-core Cortex-A72 Up to 1.8 GHz and Quad-core Cortex-A53 Up to 1.4 GHz ARM Mali-T860 LP DDR4 4GB (MAX, default 4GB) 16G/32G/64GB (default 32G) Android 11 ×1 ×1 ×1 ×1 ×1	ON-SCREEN DISPLAY LA DISPLAY MODE POWER SOUND	ANGUAGES Mains Power Consumption Built-in Speakers Machine Size Machine Weight Wooden Case Size	HDMI 576P HDMI 720P 50 Hz HDMI 720P 60 Hz HDMI 720P 60 Hz HDMI 1080I 50 Hz HDMI 1080P 24 Hz HDMI 1080P 50 Hz HDMI 1080P 60 Hz English, French, German, Italian, Polish, Russian, Simplified Chinese, Spanish, Turkish, Arabic, Japanese, Traditional Chinese etc. Portrait AC 100-240V, 50-60 Hz 250 W 2x5 W 600x350x1612 mm 600x350x1612 mm 600x350x10 mm (stand base) 65 kg 1790x270x1040 mm

Specifications And Availability Are Subject To Change Without Notice. Trademarks Are The Property Of Their Respective Owners. Copyright © 2017 Rcstars Technology. All Rights Reserved.

www.rcstarsgroup.com